



LED 6" Recessed Fixture

EPL LED 6" Recessed Fixture



- EPL LED 6" Recessed Fixture integrates 2835 SMD light source and compact high efficient driver into a traditional CFL replacement.
- It employs a high-tech IC solution to ensure the good stability and dimming system control
- Applications include lighting in hotel, home, office, shop, stairway, lobby, reception, Corridors etc.



EPL-DR610-WW

Energy Progress Lighting

1010 Hoyt Avenue | Ridgefield, NJ 07657 | Phone: (201) 313-7194 | Fax: (201) 840-0070
Toll Free: (866) 375-7077 | Email: sales@ep-lighting.com | www.epilled.com

Features & Benefit

- EPL LED 6" Recessed Fixture is an amazing of price and performance ,but provides amazing advanced dimming capabilities which minimum to 5% with widely available traditional dimmers.
- It designed to easily install into existing IC or non-IC Six-inch and some Five-inch housings, provides higher efficacy and longer life than compact fluorescent lamps, with the beautiful light quality that you would expect from an incandescent, making it ideal for new construction or retrofit applications.
- Ensure the power supply is switched off before fitting this product
- The lamp must be installed by professional electrician

Specifications

	EPL-DR610-WW
Wattage	10W
Beam Angle	100°
CCT	2700K
CRI	>80
Life Span	35000-hours
Lumens	1100lm
Frequency	60Hz
Power Factor	>0.9
Input Voltage	120VAC
THD	<17.44%
Dimmable	Dimmable
Dimension	7.5x7.5x4.7 / 0.5 lbs
Qualified Listed	UL, Energy Star


PRODUCT IMAGE




Energy Progress Lighting

1010 Hoyt Avenue | Ridgefield, NJ 07657 | Phone: (201) 313-7194 | Fax: (201) 840-0070
Toll Free:(866) 375-7077 | Email: sales@ep-lighting.com | www.eplled.com



ELECTRICAL CONNECTION



PRODUCT DIMENSION




HOUSING DIMENSION




AVERAGE ILLUMINANCE CURVE

Flux out: 365.5lm



Note : The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Energy Progress Lighting

1010 Hoyt Avenue | Ridgefield, NJ 07657 | Phone: (201) 313-7194 | Fax: (201) 840-0070
Toll Free: (866) 375-7077 | Email: sales@ep-lighting.com | www.eplled.com